

Wall mount solutions

for flat panels

The Audipack wall mounts,

*a rigid and flexible program that offers perfect solutions
for Pro AV use or permanent installation*



Audipack®

It's great to have solutions...

Flexible, strong and Innovative!

The strongest and most innovative solutions to mount screens on the wall.

The professional AV wall mounts are specially designed for professional installations. Durability, speed of installation and easy product access are key benefits of this product line. The special Lock&Secure mounting interface guarantees a quick installation and a quick flat panel switch if needed. Special suitable for projects, public places, convention centres and more.

To install your flat panel to an Audipack Pro-AV wall mount an additional flat panel bracket is needed.

See chapter "Mounting brackets for flat panels" Page 29 for an overview of the available brackets.




The universal wall mounts offers a wide range of mounts for safe and quick installation of a flat panel. Durability, flexibility and adjustability are key benefits of this product line.

A wide range of VESA and universal mounts is available.

For every screen the perfect solution.

All Audipack flat panel wall mounts are safe and easy to install, and are available for flat panels up to a diagonal of 120 inch.

- ▲ *Fast and easy installation*
- ▲ *Quick flat panel installation and removal*
- ▲ *Theft delay*
- ▲ *Very rigid design*



Thin wall mounts











Angle adjustment















Flexible mounting range











THIN WALL MOUNTS WITH L&S 3 & 5

	Ref.	390567	  
	Dimensions in mm	W 340 x D 18 x H 198	
	Ref.	390967	  
	Dimensions in mm	W 340 x D 18 x H 286	
	Mounting pattern	L&S 3	
	Mounting pattern	L&S 5	







TILTABLE WALL MOUNTS WITH L&S 3 & 5

	Ref.	390652	    
	Dimensions in mm	W 359 x D 41 x H 260	
	Mounting pattern	L&S 3	
	Tilt adjustment in degrees	0 / +10	
	Ref.	392652	    
	Dimensions in mm	W 305 x D 75 x H 400	
	Mounting pattern	L&S 5	
	Tilt adjustment in degrees	0 / +10	
	Optional lock	numeric: 230052 / Key: 230045	
	Optional lock	numeric: 230052 / Key: 230045	

TILTABLE IN STEPS WALL MOUNTS WITH L&S 3

	Ref.	390585	   
	Dimensions in mm	W 350 x D 50 x H 200	
	Tilt adjustment in degrees	-5 / +15 in 5° steps	
	Mounting pattern	L&S 3	
	Optional lock	numeric: 230052 / Key: 230045	
	Ref.	390617	   
	Dimensions in mm	W 362 x D 64 x H 208	
	Tilt adjustment in degrees	-5 / +15 in 5° steps	
	Mounting pattern	L&S 3	
	Optional lock	numeric: 230052 / Key: 230045	

THIN INSTALL WALL MOUNTS FOR ULTRA THIN LED SCREENS

	Ref.	FWM-V200	 
	Dimensions in mm	W 320 x D 12 x H 260	
	VESA width	75, 100 & 200	
	VESA height	75, 100 & 200	
	<i>Including flat panel installation cams</i>		
	Ref.	FWM-V400	 
	Dimensions in mm	W 460 x D 12 x H 520	
	VESA width	200, 300 & 400	
	VESA height	200, 300 & 400	
	<i>Including flat panel installation cams</i>		

WALL MOUNTS

UNIVERSAL WALL MOUNT THE UNIFLATFIX



Lock the bracket with the optional lock
Ref.: 230052 (numeric), 230045 (key)


Ref.	390688
Dimensions in mm	W 530 x D 28 x H 400
Max. mounting range in mm	W 470 x H 360
Min. mounting range in mm	W 88



Ref.	390690
Dimensions in mm	W 728 x D 28 x H 500
Max. mounting range in mm	W 670 x H 446
Min. mounting range in mm	W 174



TILTABLE UNIVERSAL WALL MOUNT THE UNIFLATFIX



Lock the bracket with the optional lock
Ref.: 230052 (numeric), 230045 (key)

Ref.	392688
Dimensions in mm	W 540 x D 60 x H 380
Max. mounting range in mm	W 470 x H 360
Min. mounting range in mm	W 80
Tilt adjustment in degrees	0 / +10°



Ref.	392690
Dimensions in mm	W 740 x D 60 x H 500
Max. mounting range in mm	W 670 x H 446
Min. mounting range in mm	W 227,5
Tilt adjustment in degrees	0 / +10°



VESA 75 & 100 WALL MOUNTS



Ref.	390838
Dimensions in mm	W 120 x D 22 x H 122
VESA	75 & 100



Ref.	390839
Dimensions in mm	W 120 x D 22 x H 162
VESA	75 & 100
Tilt adjustment in degrees	+5



Ref.	390840
Dimensions in mm	W 269 x D 28 x H 250
VESA	75, 100 & 200



LARGE SCREEN WALL MOUNTS



Ref.	392696
Dimensions in mm	W 1550 x D 50 x H 800
Max. mounting range in mm	W 2000 x H 740



Ref.	392698
Dimensions in mm	W 1550 x D 50 x H 1290
Max. mounting range in mm	W 3000 x H 1290



Ref.	392585
Dimensions in mm	W 130 x D 44 x H 800
Max. mounting range in mm	W 1500 x H 800



Please refer to www.audipack.com for brand related large screen wall mounts